

Washington State Recreational Guidance Levels for Freshwater Cyanotoxins

	Microcystin (ug/L)	Anatoxin (ug/L)	Saxitoxin (ug/L)	Cylindrospermopsin (ug/L)
Health Advisory Level	8	1	75	15
Closure Level	2000	300	-	-

2024 Snake River HAB testing results

Sample Date	Sample location	Microcystin (ug/L)	Anatoxin (ug/L)	Saxitoxin (ug/L)	Cylindrospermopsin (ug/L)
8/12/2024	Pull off near Granite Point	32	<MDL	Not tested	Not tested
8/20/2024	Central channel near Wawawai Landing	<MDL	<MDL	<MDL	<MDL
8/20/2024	Boyer Park & Marina	<MDL	<MDL	<MDL	<MDL
8/20/2024	Pull off near Blyton Landing	<MDL	<MDL	<MDL	<MDL
8/26/2024	Illia Dunes	<MDL	<MDL	<MDL	<MDL
8/26/2024	Central Ferry	22.4	<MDL	<RDL (0.023)	<MDL
8/26/2024	Blyton Landing	525	<MDL	<MDL	<MDL
9/3/2024	Wawawai Landing (main channel side)	5.3	<MDL	<MDL	<MDL
9/3/2024	Blyton Landing	14.9	<MDL	<MDL	<MDL
9/3/2024	Central Ferry	0.4	<MDL	<MDL	<MDL
9/18/2024	Wawawai Landing (main channel)	703	0.084	-	-
9/18/2024	Pull-off near Granite Point	2000	0.070	-	-
9/18/2024	Central Ferry	3.8	<MDL	-	-
9/24/2024	Wawawai Landing (main channel)	1442	0.015	-	-
9/30/2024	Wawawai Landing (main channel)	156	0.024	-	-

10/15/2024	Wawawai Landing (main channel)	<MDL	<MDL	-	-
10/22/2024	Wawawai Landing (main channel)	<MDL	<MDL	-	-

<MDL: sample result below the detection limit. Toxin not detected.

<RDL: sample result was less than the lab's reported detection limit.

pend: sample analysis in progress

Exceedance of WaDOH/USEPA Recreational Guidelines highlighted in yellow.