



### Washington State Recreational Guidance Levels for Freshwater Cyanotoxins

	Microcystin (ug/L)	Anatoxin (ug/L)	Saxitoxin (ug/L)	Cylindrospermopsin (ug/L)
Health Advisory Level	8	1	75	15
Closure Level	2000	300	-	-

### 2023 Snake River HAB Testing Results

Date	Sample location	Microcystin (ug/L)	Anatoxin (ug/L)	Saxitoxin (ug/L)	Cylindrospermopsin (ug/L)
9/11/2023	Wawawai County Park	0.73	<MDL	<MDL	<MDL
9/11/2023	Granite Point	>10	<RDL	<MDL	<MDL
9/25/2023	Granite Point	>0.8	<MDL	-	-
9/25/2023	Boyer Park	<MDL	<MDL	-	-
10/2/2023	Wawawai Landing	>10	<MDL	-	-
10/2/2023	Central Ferry	>10	<MDL	-	-
10/9/2023	Wawawai Landing	139	<MDL	-	-
10/9/2023	Boyer Park	<MDL	<MDL	-	-
10/9/2023	Central Ferry	25	<MDL	-	-
10/16/2023	Central Ferry	61	<MDL	-	-
10/18/2023	Wawawai County Park	63	<MDL	-	-
10/24/2023	Wawawai County Park	2	<MDL	-	-
10/24/2023	Central Ferry	7	<MDL	-	-
10/30/2023	Wawawai County Park	9.3	<MDL	-	-
10/30/2023	Central Ferry	48	<MDL	-	-



**2023 Snake River HAB Testing Results cont.**

11/6/2023	Wawawai County Park	18	<MDL	-	-
11/6/2023	Central Ferry	88	<MDL	-	-
12/18/2023	Wawawai County Park	2	<MDL	-	-
1/4/2024	Wawawai County Park	1.7	<MDL	-	-

<MDL: sample result below the detection limit. Toxin not detected.

<RDL: sample result was less than the lab's reported detection limit.

pend: sample analysis in progress

Exceedance of WaDOH/USEPA Recreational Guidelines highlighted in yellow.